L Number	Hits	Search Text	DB	Time stamp
1	126	713/161.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
2	471	713/168.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
3	240	713/171.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
4	113	713/184.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
5	1494	713/201.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
6	697	707/9.ccls. and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
-	423	dongle	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 08:59
-	150	(copyright adj protection) with software	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:34
-	560	software adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:34
-	377	key adj (disk disket)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:34
-	8	software with (restricted adj use$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:37
-	44	software adj access adj control	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:48
-	218	software adj piracy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:48
-	175	(software adj piracy) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 11:44
-	2	(software adj security adj protection) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/24 16:53
-	6	(software adj licens$3 adj server) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 14:44
-	45	intertrust.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 07:47
-	133	"5638443"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 14:30
-	29	(software adj piracy) and ((@rlad<=20000514 or @ad<=20000514) and internet and url	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 13:26

-		273	dongle and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 10:28
-		10	(dongle and ((@rlad<=20000514 or @ad<=20000514)) and internet and url	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 10:28
-		27	5625690.URPN.	USPAT	2003/07/25 11:00
-		18	("4791565" | "4796181" | "5353219" | "5553143" | "5625690" | "5636276" | "5638443" | "5638513" | "5671412" | "5673315" | "5745879" | "5758068" | "5790664" | "5884284" | "5905860" | "5930357" | "5935249" | "5940504").PN.	USPAT	2003/07/25 11:23
-		1	(software adj license adj meter) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:25
-		45	5386369.URPN.	USPAT	2003/07/25 11:45
-		16	("5023907" | "5185860" | "5204897" | "5339435" | "5371852" | "5386369" | "5418957" | "5437029" | "5499340" | "5517635" | "5692196" | "5706502" | "5732219" | "5761499" | "5778231" | "6185733").PN.	USPAT	2003/07/25 13:18
-		59	"5638443" and ((@rlad<=20000514 or @ad<=20000514) and internet and url	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 13:34
-		94	(battery adj disk) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 15:57
-		1	"20020049716"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 14:30
-		4	"5943650"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/25 14:51
-		8	("5564038" | "5579222" | "5634012" | "5696906" | "5715169" | "5758068" | "5790664" | "5870726").PN.	USPAT	2003/07/25 14:56
-		42	software adj battery	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:29
-		96	(battery adj disk) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 10:18
-		46	((battery adj disk) and ((@rlad<=20000514 or @ad<=20000514)) and attach$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 14:49
-		1	software adj usage adj meter	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 14:48
-		48	5386369.URPN.	USPAT	2004/04/07 10:22
-		0	6449651.URPN.	USPAT	2004/04/07 10:24
-		5	5,943,650	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 10:29
-		8	("5564038" | "5579222" | "5634012" | "5696906" | "5715169" | "5758068" | "5790664" | "5870726").PN.	USPAT	2004/04/07 10:33
-		65	(software adj meter$3) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 15:10
-		8	("5319705" | "5440631" | "5509070" | "5636277" | "5727215" | "5864620" | "6005935" | "6049671").PN.	USPAT	2004/04/07 15:00
-		68	"5497479"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/07 15:10
-		8	("2721701" | "3344408" | "4447890" | "4710888" | "4803646" | "5181245" | "5202914" | "5233531").PN.	USPAT	2004/04/07 15:36
-		48	5386369.URPN.	USPAT	2004/04/07 15:37

-		96	(battery adj disk) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 07:53
-		17	(animation and (battery adj condition)) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 07:59
-		0	((345/473.ccls.) and (@rlad<=20000514 or @ad<=20000514)) and (battery adj condition)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:00
-		693	(345/473.ccls.) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:01
-		0	((345/473.ccls.) and (@rlad<=20000514 or @ad<=20000514) and (software adj licensing)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:01
-		1	((345/473.ccls.) and (@rlad<=20000514 or @ad<=20000514)) and (software adj licens$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:03
-		23	((345/473.ccls.) and (@rlad<=20000514 or @ad<=20000514)) and meter	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:03
-		148	battery adj disk	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:05
-		17	5715169.URPN.	USPAT	2004/04/08 08:18
-		9	("4740890" | "5109413" | "5155768" | "5212729" | "5392351" | "5533125" | "5564038" | "5586301" | "5715169").PN.	USPAT	2004/04/08 08:21
-		0	5898778.URPN.	USPAT	2004/04/08 08:23
-		91	software adj meter$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:24
-		65	(software adj meter$3) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:30
-		42	software adj battery	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:29
-		33	(software adj battery) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:51
-		11	("4716354" | "5230074" | "5339446" | "5345392" | "5434508" | "5477129" | "5691742" | "5768164" | "5789901" | "5801637" | "5809449").PN.	USPAT	2004/04/08 08:36
-		2	(software adj battery adj gauge) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:52
-		63	(battery adj gauge) and ((@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/08 08:52
-		5	"6163859"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 14:12
-		1	5943650.URPN.	USPAT	2004/10/13 14:30
-		44	software adj battery	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 14:43
-		100	software adj meter$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 14:44

-	70	(software adj meter$) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 15:28
-	2	((first adj key) with session with client) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 15:56
-	345	(key with session with client) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 15:35
-	28	((key with session with client) and (@rlad<=20000514 or @ad<=20000514)) and (second adj key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 11:00
-	124	((first adj key) with (second adj key) with compar$)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 15:56
-	172	((first adj key) with (second adj key) with (compar$ match$))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 15:56
-	121	(((first adj key) with (second adj key) with (compar$ match$))) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 11:39
-	1550	(session adj key) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 09:21
-	218	((session adj key) and (@rlad<=20000514 or @ad<=20000514)) and (second adj key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 09:22
-	8	(key with session with (client adj terminal)) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 09:47
-	11	"6195432"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 09:47
-	218	(session adj key) and (@rlad<=20000514 or @ad<=20000514) and (second adj key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 11:04
-	334	(asymmetric adj key) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 12:02
-	11	(virtual adj battery) and (@rlad<=20000514 or @ad<=20000514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 14:53
-	8	("5564038" I "5579222" I "5634012" I "5696906" I "5715169" I "5758068" I "5790664" I "5870726").PN.	USPAT	2004/10/14 12:03

Google™

| "software battery" | Search | Advanced Search
Preferences |

Web

Results **1 - 10** of about **5,640** for **"software battery"**. (0.62 seconds)

Psion Place: Software: Series 5 Battery
The World's Largest Wi-Fi Business Event. FREE HP Technical
Whitepaper Set on PCs & Servers: ...
www.psionplace.com/software/ series5/utilities-battery-datesort-1.html - 62k
- Cached - Similar pages

Psion Place: Software: Series 5 Battery
The World's Largest Wi-Fi Business Event. PDAStreet, - The PDA
Network - ...
www.psionplace.com/software/ series5/utilities-battery-titlesort-
1.html - 63k - Cached - Similar pages
[More results from www.psionplace.com]

MTH Electric Trains
... Proto-Sound 1 **Software/Battery** Issues. The following ...
troubleshooting. Troubleshooting
Early Proto-Sound **Software Battery** Related Errors. Owners ...
www.mth-railking.com/service/p1batt.asp - 29k - Cached - Similar pages

Find your **Software battery** and free shipping at batteries.com
Shopping Cart My Power Home, Search Help? Shopping Cart My Power
battery Nokia Call
us toll-free at 888-288-6500, 2-Way Radio. Alkaline (AA, 9v, etc). Bags /
Cases ...
www.batteries.com/products/Software/ - 30k - Cached - Similar pages

Amazon.co.uk: **Software**: **Battery** Pack
... Not Rated. 50% Off, Get 50% off bestselling **software**. **Battery** Pack
Softwide Platform:
PDA Availability: usually dispatched within 1 to 2 working days. ...
www.amazon.co.uk/exec/obidos/ASIN/B0000A4JZQ - 31k -
Cached - Similar pages

Battery Organizer software at Lexa **software**
Battery Organizer (Skinnable Software). Advertisement. ... Battery Address
Book.
Software company: Chaos **Software**. **Battery** Organizer Pro. ...
www.lexasoftware.com/organizer/ software/battery-organizer.html - 24k - Cached - Similar pages

Free download from dachshundsoftware.com: Battery Doubler
... **Battery** Doubler - step 1: ask Dachshund **Software, Battery** Doubler - step 2: buy
the right product, Battery Doubler - step 3: eliminate problem, Battery Doubler ...
www.dachshundsoftware.com/ specials/batterydoubler/default.html - Similar pages

Installing a **Software Battery**
Installing a **Software Battery**. ... On the Mac, the preference file is WL32 Preferences,
located in the System:Preferences folder. What is a **Software Battery**? ...
www.vsh.com/Documentation/ WinList/installing_a_software_battery.htm - 8k - Cached - Similar pages

Pocketland, Pocket PC **Software** - **Battery** Pack Pro, Statusanzeige ... - [Translate this page]
Battery Pack Pro V1.1.1. Details. Datum: 24.04.04. ...
pocketland.de/product.php?prod_id=6706 - 17k - Oct 11, 2004 - Cached - Similar pages

[PDF] Microsoft PowerPoint - IDF_Presentation_Feb_2003

RESEARCH   ▶ **Advanced Search**

Current Article: Electronic software meter. (Backstage Software releases Backstage Licenses Metering System software usage meter system) (Market Watch)

Tools:

☑ **E-mail** | 🖶 **Print**

Save Article
Export to Microsoft Office

Font Size: A | A | A | A
Arial

Electronic software meter. (Backstage Software releases Backstage Licenses Metering System software usage meter system) (Market Watch)

Software Industry Report; June 07, 1993;

Read the Full Article, Get a FREE Trial for instant access »

Software Industry Report

June 07, 1993

ELECTRONIC SOFTWARE METER... Cupertino, Calif.-based start up, Backstage Software, has unveiled its first product called The Backstage License Metering System (BLM), an electronic usage meter for software. Designed for developers, BLM addresses the problem of license inventory by providing a system to monitor and track software usage and licensing. "BLM is the first license metering product of its kind," says Backstage President Matt Christiano. "The product will allow developers a way to control license dispensing by distributors as well as provide them with a software leasing and metering tool."
BLM consists of a software library, a hardware device called a meter, and a meter daemon. The library is integrated with the developer's application and provides the tools necessary to support the meter. This meter is a small, external box that connects to a serial or parallel port. The metering software allows control over the number of times the program is run, the

CiteSeer Find: software meter [Documents] [Citations]

Searching for **PHRASE software meter**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) CSB DBLP
Order: number of citations.

Formal Methods and Real-Time: Design and Validation of .. - Alabau, Bégay, .. (1996) (Correct)
bus network and interpreted by the electricity **meter software**)As the electricity meter is to be
ftp.labri.u-bordeaux.fr/pub/Local/Info/Publications/Rapports-internes/RR-113996.ps.Z

Try your query at: Google (CiteSeer) Google (Web) CSB DBLP

CiteSeer Find: software battery [Documents] [Citations]

Itsy: Stretching the Bounds of Mobile Computing - Hamburgen, Wallach, Viredaz, .. (2001) (Correct) (15 citations)
Usb Rs-232 Power (3.5 V-13 V) Li-Ion **Battery Software** Modem A/d Input Memory Bus (static Memory,
www.cs.colorado.edu/~rhan/CSCI7143_002/Papers/Hamburgen2001_Itsy.pdf

Try your query at: Google (CiteSeer) Google (Web) CSB DBLP

Nothing Found

Your search for **"software battery"** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

      museum +art

- Exclude pages by using a − if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago

P&RTAL

US Patent & Trademark Office

"software meter"   SEARCH

THE ACM DIGITAL LIBRARY

Terms used **software meter**   Found **7** of **143,484**

Sort results by   [relevance ⊻]   ❤ Save results to a Binder   Try an Advanced Search
                                               ❓ Search Tips   Try this search in The ACM Guide
Display results   [expanded form ⊻]   ☐ Open results in a new window

Results 1 - 7 of 7

Relevance scale ☐▭▭▬■

1 Conditional purchase orders   ▭
   John Kelsey, Bruce Schneier
   April 1997   **Proceedings of the 4th ACM conference on Computer and communications security**
   Full text available: 📄 pdf(853.77 KB)   Additional Information: full citation, references, index terms

2 DMS: A comprehensive system for managing human-computer dialogue   ▭
   John Roach, H. Rex Hartson, Roger W. Ehrich, Tamer Yunten, Deborah H. Johnson
   March 1982 **Proceedings of the 1982 conference on Human factors in computing systems**
   Full text available: 📄 pdf(335.32 KB)   Additional Information: full citation, abstract, references, citings, index terms

   As the complexity of human-computer interfaces increases, those who use these interfaces as
   well as those reponsible for their design have recognized an urgent need for substantive
   research in the human factors of software development [2], [5]. Because of the magnitude of
   the task of producing software for individual human-computer interfaces, appropriate tools
   are needed for defining and improving such interfaces, both in research and production
   environments. This paper describes the resea ...

3 Technical Session: Supporting ubiquitous computing through directory enabled   ▭
   technologies
   Michael Richichi, Paul Coen
   October 2001 **Proceedings of the 29th annual ACM SIGUCCS conference on User services**
   Full text available: 📄 pdf(285.27 KB)   Additional Information: full citation, abstract, references, citings, index terms

   Drew has been providing computers to students since 1984. Many universities have
   ubiquitous computing programs where students receive a laptop computer as part of their
   educational package. These programs reduce the dependence on and management issues of
   traditional computer labs, and allow 24x7 computing access to every student at the
   University. Drew also provides Novell Directory Services (NDS) accounts to all of these
   students, and utilizes Novell ZENworks to customize software, personalize ...

   Keywords: LDAP, ZENworks, directory services, eDirectory, laptop programs, management,
   ubiquitous computing

4 Administration of campus computing labs and faculty desktops   ▭
   Jonathan E. Geibel
   November 1999 **Proceedings of the 27th annual ACM SIGUCCS conference on User services: Mile high expectations**
   Full text available: Additional Information:

Keywords: Macintosh, Novell, Windows NT, ZENWorks, authentication, desktop management, printing, unattended installs

5 A new family of authentication protocols

Ross Anderson, Francesco Bergadano, Bruno Crispo, Jong-Hyeon Lee, Charalampos Manifavas, Roger Needham

October 1998 **ACM SIGOPS Operating Systems Review**, Volume 32 Issue 4

Full text available: pdf(821.42 KB)   Additional Information: full citation, abstract, index terms

We present a related family of authentication and digital signature protocols based on symmetric cryptographic primitives which perform substantially better than previous constructions. Previously, one-time digital signatures based on hash functions involved hundreds of hash function computations for each signature; we show that given online access to a timestamping service, we can sign messages using only two computations of a hash function. Previously, techniques to sign infinite streams invol ...

Keywords: authentication, hashing, non-repudiation, timestamping

6 Configuring student computer laboratories for effective utilization through network management

David Dodds, Louie Athanasiadis

November 1995 **Proceedings of the 23rd annual ACM SIGUCCS conference on User services: winning the networking game**

Full text available: pdf(742.10 KB)   Additional Information: full citation, references, index terms

7 Data flow analysis for `intractable' system software

Harold Johnson

July 1986 **ACM SIGPLAN Notices , Proceedings of the 1986 SIGPLAN symposium on Compiler contruction**, Volume 21 Issue 7

Full text available: pdf(956.60 KB)   Additional Information: full citation, abstract, references, citings, index terms

We describe, and give experience with, a new method of intraprocedural data flow analysis on reducible flow-graphs[9]. The method is advantageous in imbedded applications where the added value of improved performance justifies substantial optimization effort, but extremely powerful data flow analysis is required due to the code profile.The method is unusual in that (1) various kinds of forward data flow analysis are done simultaneously, so that benefit is derived from informative ...

Results 1 - 7 of 7